

## Author Index

Al-Hedaithy, S.S.A. See Campbell, C.K.  
Allen, M.H. See Schechtman, R.C.  
Altemani, A.M. See Blotta, M.H.S.L.  
Amaral, E. See Blotta, M.H.S.L.  
Ansari, S., Gupta, P., Mahanty, S.K. & Prasad, R.  
The uptake of amino acids by *erg* mutants of *Candida albicans*, 377  
Antonacci, B. See Parmegiani, R.M.  
Apitz-Castro, R. See San-Blas, G.  
Arango-Arteaga, M. See Restrepo-Gutierrez, S.  
Balish, E., Jensen, J., Warner, T., Brekke, J. & Leonard, B., Mucosal and disseminated candidiasis in gnotobiotic SCID mice, 143  
Barbosa, J.E. See Pereira Crott, L.S.  
Barenholz, Y. See Levy, M.Y.  
Bava, A.J., Negroni, R. & Bianchi, M. Cryptococcosis produced by a urease negative strain of *Cryptococcus neoformans*, 87  
Bedoya-Escobar, V.I., Naranjo-Mesa, M.S. & Restrepo-Moreno, A. Detection of proteolytic enzymes released by the dimorphic fungus *Paracoccidioides brasiliensis*, 299  
Benita, S. See Levy, M.Y.  
Bianchi, M. See Bava, A.J.  
Blotta, M.H.S.L., Altemani, A.M., Amaral, E., Silva, L.J. & Camargo, Z.P. Placental involvement in paracoccidioidomycosis, 249  
Borg-von Zepelin, M. & Grünen, V. Characterization of two monoclonal antibodies against secretory proteinase of *Candida tropicalis* DSM 4238, 1  
Bragg, S.L. See Zancopé-Oliveira, R.M.  
Brekke, J. See Balish, E.  
Buchan, A.D.B., Kelly, V.A., Kinsman, O.S., Gooday, G.W. & Gow, N.A.R. Effect of trifluoperazine on growth, morphogenesis and pathogenicity of *Candida albicans*, 427  
Cailliez, J.C., Cantelli, C., Conti, S., Gerloni, M., Magliani, W., Morace, G. & Polonelli, L. *Pichia anomala* killer toxin secretion in the presence of tunicamycin, 337  
Cailliez, J.C. See Hernando, F.L.  
Calcagno, A.M. See San-Blas, G.  
Camargo, Z.P. See Blotta, M.H.S.L.  
Camargo, Z.P. See Taborda, C.P.  
Camargo, Z.P. & Taborda, C.P. Antigenic relationships between *Paracoccidioides brasiliensis* isolated from faeces of a penguin and a human isolate of *P. brasiliensis*, 347  
Campbell, C.K. See Hemashettar, B.M.  
Campbell, C.K. & Al-Hedaithy, S.S.A. Phaeohyphomycosis of the brain caused by *Ramichloridium mackenziei* sp. nov. in Middle Eastern Countries, 325  
Cano, E.L. See Echavarria, E.  
Cantelli, C. See Cailliez, J.C.  
Cacciapuoti, A. See Parmegiani, R.M.  
Chakrabarti, A. See Padhye, A.A.  
Chander, J. See Padhye, A.A.  
Clemons, K.V. See Denning, D.W.  
Clemons, K.V. & Stevens, D.A. Comparison of a liposomal amphotericin B formulation (AmBisome) and deoxycholate amphotericin B (Fungizone) for the treatment of murine paracoccidioidomycosis, 387  
Coelho, K.I.R. See Kurita, N.  
Conti, S. See Cailliez, J.C.  
Crampin, A.C., Matthews, R.C., Hall, D. & Evans, E.G.V. PCR fingerprinting *Cryptococcus neoformans* by random amplification of polymorphic DNA, 463  
Cuetara, M.S. See Del Palacio, A.  
van Cutsem, J., Meulemans, L., van Gerven, F. & Styfen, D. Effect of tissue invasion and treatment with itraconazole or amphotericin B on galactomannan levels in plasma of guinea-pigs with experimental invasive aspergillosis, 315  
DeBoer, D.J. & Moriello, K.A. Humoral and cellular immune responses to *Microsporum canis* in naturally occurring feline dermatophytosis, 121  
Deepe, G.S. *Histoplasma capsulatum* and V mice: cellular immune responses and susceptibility patterns, 181  
Del Palacio, A., Lopez-Suso, M.J., Moore, M.K., Cuetara, M.S., Garcia-La Calle, C. & Noriega, A.R. Long-term follow-up of otomycosis and its treatment with bifonazole, 435  
Denning, D.W., Clemons, K.V. & Stevens, D.A. Quantitative preservation of viability of *Aspergillus fumigatus*, 485  
Denning, D.W., Elliott, J. & Keaney, M. Temperature-dependent expression of elastase in *Aspergillus* species, 455  
Echavarria, E., Cano, E.L. & Restrepo, A. Disseminated adiaspiromycosis in a patient with AIDS, 91  
Elliott, J. See Denning, D.W.  
Ellis, D.H. See Pfeiffer, T.J.  
Ellis, D.H. See Speed, B.R.  
Evans, E.G.V. See Crampin, A.C.  
Faille, C. See Trinel, P.A.

Fernandez-Ballart, J. See Cano, J.  
 Fidel, P.L. See Lynch, M.E.

Garcia-La Calle, C. See Del Palacio, A.  
 Gerloni, M. See Cailliez, J.C.  
 van Gerven, F. See van Cutsem, J.  
 Gooday, G.W. See Buchan, A.D.B.  
 Gow, N.A.R. See Buchan, A.D.B.  
 Gregurek-Novak, T., Rabatic, S., Silobrčić, V. Defective phagocytosis in chronic trichopytosis, 115  
 Grüness, V. See Borg-von Zeppelin  
 Guarro, J. See Cano, J.  
 Gupta, P. See Ansari, S.

Hall, D. See Crampin, A.C.  
 Hare, R.S. See Parmegiani, R.M.  
 Hay, R.H. See Schechtman, R.C.  
 Hemashettar, B.M., Patil, C.S., Yenni, V.V., Malur, P.R. & Campbell, C.K. Isolation of *Trichophyton yaoundei* in India, 333  
 Hernando, F.L., Estevez, J.J., Cebrian, M., Poulain, D. & Ponton, J. Identification of *Candida albicans* cell wall antigens lost during subculture in synthetic media, 227  
 Highsmith, W.E. See Hopfer, R.L.  
 Hopfer, R.L., Walden, P., Setterquist, S. & Highsmith, W.E., Jr. Detection and differentiation of fungi in clinical specimens using polymerase chain reaction (PCR) amplification and restriction enzyme analysis, 65  
 Hubálek, Z., Zejda, J., Svobodova, Š. & Kucera, J., Fidel, P.L. & Sobel, J.D. Seasonality of rodent adiasporomycosis in a lowland forest, 359

Hurst, S.F. See Zancopé-Oliveira, R.M.

Ibe, M. See Sugita, Y.  
 Ilavarasi, S. See Venugopal, P.V.  
 Ingham, E. & Cunningham, A.C. *Malassezia furfur*, 256

Jensen, J. See Balish, E.

Kanaizuka, I. See Sugita, Y.  
 Kappe, R., Osterziel, K.J., Ruchel, R. & Siehl, S. Fluconazole in patients at risk from invasive aspergillosis, 259  
 Kaufman, L. See Padhye, A.A.  
 Keane, M. See Denning, D.W.  
 Kelly, V.A. See Buchan, A.D.B.  
 Kinsman, O.S. See Buchan, A.D.B.  
 Kucera, J. See Hubálek, Z.  
 Kukuruga, M. See Lynch, M.E.  
 Kurita, N., Sano, A., Coelho, K.I.R., Takeo, K., Nishimura, K. & Miyaji, M. An improved culture medium for detecting live yeast phase cells of *Paracoccidioides brasiliensis*, 201

Lazera, M.S., Wanke, B. & Nishikawa, M.M. Isolation of both varieties of *Cryptococcus neoformans* from saprophytic sources in the city of Rio de Janeiro, Brazil, 449  
 Leonard, B. See Balish, E.  
 Levy, M.Y., Polacheck, I., Barenholz, Y. & Benita, S. Efficacy evaluation of a novel submicron amphotericin B emulsion in murine candidiasis, 207  
 Loebenberg, D. See Parmegiani, R.M.  
 Lucisano Valim, Y.M. See Pereira Crott, L.S.  
 Lynch, M.E., Kukuruga, M., Nakeef, A., Fidel, P.L. & Sobel, J.D. Flow cytometric analysis of germ tube formation in *Candida albicans*, 367

McCullough, M.J. See Borromeo, G.L.  
 McGregor, J.H. See Schechtman, R.C.  
 McKay, I.C. See Richardson, M.D.  
 Mackenzie, D.W.R. See Trinel, P.A.  
 Magliani, W. See Cailliez, J.C.  
 Mahanty, S.K. See Ansari, S.  
 Malur, P.R. See Hemashettar, B.M.  
 Maríño, L. See San-Blas, G.  
 Matsuyama, S. See Sugita, Y.  
 Matthews, R.C. See Crampin, A.C.  
 Mayayo, E. See Cano, J.  
 Menzel, F. See Parmegiani, R.M.  
 Merkel, G.J. & Scofield, B.A. Conditions affecting the adherence of *Cryptococcus neoformans* to rat glial and lung cells *in vitro*, 55  
 Meulemans, L. See van Cutsem, J.  
 Miller, G.H. See Parmegiani, R.M.  
 Mirbod, F., Mori, S. & Nozawa, Y. Methods for phospholipid extraction in *Candida albicans*: an extraction method with high efficacy, 405  
 Miyaji, M. See Kurita, N.  
 Moore, M.K. See Del Palacio, A.  
 Morace, G. See Cailliez, J.C.  
 Mori, S. See Mirbod, F.  
 Moriello, K.A. See DeBoer, D.J.  
 Moss, L. See Parmegiani, R.M.

Nakajima, H. See Sugita, Y.  
 Nakeef, A. See Lynch, M.E.  
 Naranjo-Mesa, M.S. See Bedoya-Escobar, V.I.  
 Negroni, R. See Bava, A.J.  
 Nishikawa, M.M. See Lazera, M.S.  
 Nishimura, K. See Kurita, N.  
 Noriega, A.R. See Del Palacio, A.  
 Norris, C. See Parmegiani, R.M.  
 Nozawa, Y. See Mirbod, F.

Ogawa, H. See Ran, Y.  
 Oliver, A.J. & Reade, P.C. Morphotypes of oral isolates of *Candida albicans* from patients infected with the human immunodeficiency virus, 289  
 Osterziel, K.J. See Kappe, R.

Padhye, A.A., Chakrabarti, A., Chander, J. & Kaufman, L. *Cryptococcus neoformans* var. *gattii* in India, 165

Parmegiani, R.M., Loebenberg, D., Cacciapuoti, A., Antonacci, B., Norris, C., Menzel, F., Moss, L., Yarosh-Tomaine, T., Hare, R.S. & Miller, G.H. SCH 39304, a new antifungal agent: oral and topical treatment of vaginal and superficial infections, 239

Patil, C.S. See Hemashettar, B.M.

Peralta, J.M. See Zancopé-Oliveira, R.M.

Pereira Crott, L.S., Lucisano Valim, Y.M., Silva, C.L. & Barbosa, J.E. The role of the complement system in the neutrophil functions stimulated *in vitro* by an alkali-insoluble cell wall fraction of *Paracoccidioides brasiliensis*, 17

Perfect, J.R., Schell, W.A. & Rinaldi, M.G. Uncommon invasive fungal pathogens in the acquired immuno-deficiency syndrome, 175

Pfeiffer, T.J. & Ellis, D.H. Serotypes of Australian environmental and clinical isolates of *Cryptococcus neoformans*, 401

Polacheck, I. See Levy, M.Y.

Polonelli, L. See Cailliez, J.C.

Poulain, D. See Trinel, P.A.

Prasad, R. See Ansari, S.

Rabatic, S. See Gregurek-Novak, T.

Ramakrishna, E.S. See Venugopal, P.V.

Ran, Y., Yoshiike, T. & Ogawa, H. Lipase of *Malassezia furfur*: some properties and their relationship to cell growth, 77

Rashid, A., Scott, E.M. & Richardson, M.D. Effects of terbinafine exposure on the ultrastructure of *Trichophyton interdigitale*, 305

Reade, P.C. See Borromeo, G.L.

Reade, P.C. See Oliver, A.J.

Reiss, E. See Zancopé-Oliveira, R.M.

Restrepo, A. See Echavarria, E.

Restrepo-Gutierrez, S., Arango-Arteaga, M., Uribe-Jaramillo, F., Zuluaga-Cadena, A.I. & Restrepo-Moreno, A. Course of the experimental murine infection induced by *Sporothrix schenckii* conidia according to depth of inoculation, 411

Restrepo-Moreno, A. See Bedoya-Escobar, V.I.; Restrepo-Gutierrez, S.

Richardson, M.D. See Rashid, A.

Richardson, M.D., White, L.J., McKay, I.C. & Shankland, G.S. Differential binding of acapsulate and encapsulated strains of *Cryptococcus neoformans* to human neutrophils, 189

Rinaldi, M.G. See Perfect, J.R.

Rodríguez-del Valle, N. & Rodríguez-Medina, J.R. Clacium stimulates molecular and cellular events during the yeast-to-mycelium transition in *Sporothrix schenckii*, 43

Rodríguez-Medina, J.R. See Rodríguez-del Valle, N.

Ruchel, R. See Kappe, R.

San-Blas, F. See San-Blas, G.

San-Blas, G., Mariño, L., San-Blas, F. & Apitz-Castro, R. Effect of ajoene on dimorphism of *Paracoccidioides brasiliensis*, 133

San-Blas, G. See Sorais-Landaez, F.

San-Blas, G., Calcagno, A.M., San-Blas, F. A preliminary study of *in vitro* antibiotic activity of saperconazole and other azoles on *Paracoccidioides brasiliensis*, 169

San-Blas, G. Paracoccidioidomycosis and its etiologic agent *Paracoccidioides brasiliensis*, 99

Sano, A. See Kurita, N.

Schechtman, R.C., Allen, M.H., McGregor, J.H. & Hay, R.H. Skin inflammation in chronic dermatophyte infections caused by *Trichophyton rubrum*—lack of epidermal expression of ICAM-1, 459

Schell, W.A. See Perfect, J.R.

Scofield, B.A. See Merkel, G.J.

Scott, E.M. See Rashid, A.

Setterquist, S. See Hopfer, R.L.

Siehl, S. See Kappe, R.

Silobrčić, V. See Gregurek-Novak, T.

Silva, C.L. See Pereira Crott, L.S.

Silva, L.J. See Blotta, M.H.S.L.

Sobel, J.D. See Lynch, M.E.

Sorais-Landaez, F. & San-Blas, G. Localization of  $\beta$ -glucan synthetase in membranes of *Paracoccidioides brasiliensis*, 421

Speed, B.R., Strawbridge, L. & Ellis, D.H. *Cryptococcus neoformans* var. *gattii* meningitis in an Australian patient with AIDS, 395

Stevens, D.A. See Clemons, K.V.

Stevens, D.A. See Denning, D.W.

Strawbridge, L. See Speed, B.R.

Stynen, D. See van Cutsem, J.

Sugita, Y., Kanaizuka, I., Nakajima, H., Ibe, M., Yokota, S. & Matsuyama, S. Detection of *Candida albicans* DNA in cerebrospinal fluid, 353

Svobodova, Š. See Hubálek, Z.

Taborda, C.P. See Camargo, Z.P.

Taborda, C.P. & Camargo, Z.P. Diagnosis of paracoccidioidomycosis by passive haemagglutination assay of antibody using a purified and specific antigen-gp43, 155

Takeo, K. See Kurita, N.

Hernando, F.L., Cailliez, J.C., Trinel, P.A., Faille, C., Mackenzie, D.W.R. & Poulain, D. Qualitative and quantitative differences in recognition patterns of *Candida albicans* protein and polysaccharide antigens by human sera, 219

Uribe-Jaramillo, F. See Restrepo-Gutierrez, S.

Vakili, N.G. *Exophiala jeanselmei*, a pathogen of earthworm species, 343

Venugopal, P.V., Venugopal, T.V., Ramakrishna, E.S. & Ilavarasi, S. Antimycotic susceptibility testing of agents of black grain eumycetoma, 161

Venugopal, T.V. See Venugopal, P.V.

Warner T. See Balish, E.

Walden, P. See Hopfer, R.L.

Wanke, B. See Lazera, M.S.

White, L.J. See Richardson, M.D.

Yarosh-Tomaine, T. See Parmegiani, R.M.

Yenni, V.V. See Hemashettar, B.M.

Yokota, S. See Sugita, Y.

Yoshiike, T. See Ran, Y.

Zancopé-Oliveira, R.M., Bragg, S.L., Hurst, S.F., Peralta, J.M., Reiss, E. Evaluation of cation exchange chromatography for the isolation of M glycoprotein from histoplasmin, 29

Zejda, J. See Hubálek, Z.

Zuluaga-Cadena, A.I. See Restrepo-Gutierrez, S.

## Subject Index

Adiaspiromycosis—in AIDS, 91  
  seasonality of, in rodents, 395

Adherence of *C. neoformans* to rat glial and lung cells, 55

AIDS—adiaspiromycosis in, 91

*C. neoformans* var. *gattii* in, 395

  morphotypes of *C. albicans* from patients with, 289

  uncommon fungal pathogens in, 175

Ajoene—effect of, on dimorphism of *P. brasiliensis*, 133

Amino acid uptake by *erg* mutants of *C. albicans*, 377

Amphotericin B—effect of, on galactomannan levels in invasive aspergillosis, 315

Antifungal susceptibility of agents of black grain eumycetoma, 161

Antigen gp43 in diagnosis of paracoccidioidomycosis, 155

Antigenic relationships between isolates of *P. brasiliensis*, 347

Aspergillosis—fluconazole in, 259

*Aspergillus*—expression of elastase in, 455

Azoles—activity of, on *P. brasiliensis*, 169

β-glucan synthetase—localization of, in *P. brasiliensis*, 421

Bifonazole in treatment of otomycosis, 435

Black grain eumycetoma—antifungal susceptibility of agents of, 161

Calcium—effect of, on yeast-to-mycelium transition in *S. schenckii*, 43

*Candida albicans*—amino acid uptake by *erg* mutants of, 377

  antigens recognised by human sera, 219

  cell wall antigens lost during subculture

  detection of DNA of, in CSF, 353

  effect of trifluoperazine on, 427

  flow cytometric analysis of germ tube formation in, 367

  morphotypes of, from patients with AIDS, 289

  phospholipid extraction from, 405

*Candida tropicalis* proteinase—monoclonal antibodies against, 1

Candidosis—in SCID mice, 143

  submicron amphotericin B in, 207

Cation exchange chromatography for isolation of histoplasmin M glycoprotein, 29

Cell wall antigens lost during subculture of *C. albicans*, 227

Cell wall fraction of *P. brasiliensis*—stimulation of neutrophil function by, 17

Cerebrospinal fluid—detection of *C. albicans* DNA in, 353

*Cryptococcus neoformans*—adherence of, to rat glial and lung cells, 55

  binding of, to human neutrophils 189

  fingerprinting of, by PCR, 463

  isolation of, from Rio de Janeiro city, 449

  serotypes of environmental and clinical isolates of, 401

  urease negative strain of, 87

*Cryptococcus neoformans* var. *gattii*—in AIDS, 395

  in India, 165

Deoxycholate amphotericin B—treatment of murine paracoccidioidomycosis with, 387  
Diagnosis of paracoccidioidomycosis using purified antigen gp43, 155  
Dimorphism of *P. brasiliensis*—effect of ajoene on, 133

Earthworms—*E. jeanselmei* in, 343  
Elastase—expression of, by *Aspergillus*, 455  
*Exophiala jeanselmei* in earthworms, 343  
Experimental sporotrichosis—effect of depth of inoculation of *S. schenckii* conidia, 411

Flow cytometric analysis of germ tube formation by *C. albicans*, 367  
Fluconazole—in invasive aspergillosis, 259

Galactomannan levels—effects of itraconazole and amphotericin B on, in invasive aspergillosis, 315  
Germ tube formation in *C. albicans*—flow cytometric analysis of, 367

*Histoplasma capsulatum*—cellular immune responses and susceptibility of mice to, 181  
Histoplasmin—isolation of M glycoprotein from, 29  
Human sera—recognition of *C. albicans* antigens by, 219  
Humoral and cellular immune responses to *M. canis*, 121

ICAM-1—lack of expression of, in chronic *T. rubrum* infection, 459  
Improved culture medium for *P. brasiliensis*, 201  
India—*C. neoformans* var. *gattii* in, 165  
    *T. yaoundei* in, 333  
Invasive aspergillosis—effect of itraconazole and amphotericin B on galactomannan levels in, 315  
Itraconazole—effect of, on galactomannan levels in invasive aspergillosis, 315  
    fluconazole in, 259

Killer toxin—effect of tunicamycin on secretion of, by *P. anomala*, 337

Lipase of *M. furfur*, 77  
Liposomal amphotericin B in treatment of murine paracoccidioidomycosis, 387

M glycoprotein—isolation of, from histoplasmin, 29  
*Masassezia furfur*, 265  
    lipase of, 77  
Mice—cellular immune responses of, to *H. capsulatum*, 181  
    susceptibility of, to *H. capsulatum*, 181  
*Microsporum canis*—humoral and cellular immune responses to, 121  
Monoclonal antibodies against *C. tropicalis* proteinase, 1  
Morphotypes of *C. albicans* from patients with AIDS, 289  
Murine candidosis—submicron amphotericin B in, 207

Neutrophil function—stimulation of, by cell wall fraction of *P. brasiliensis*, 17  
Neutrophils—binding of *C. neoformans* to, 189

Otomycosis—treatment for, with bifonazole, 435

*Paracoccidioides brasiliensis*—activity of saperconazole and azoles on, 169  
and paracoccidioidomycosis, 99  
antigenic relationships between isolates of, 347  
detection of proteolytic enzymes from, 299  
effect of ajoene on dimorphism of, 133  
improved culture medium for, 201  
localization of  $\beta$ -glucan synthetase in, 421  
stimulation of neutrophil function by cell wall fraction of, 17

Paracoccidioidomycosis—and *P. brasiliensis*, 99  
diagnosis of, using purified antigen-gp43, 155  
placental involvement in, 249  
treatment of, with liposomal amphotericin B and deoxycholate amphotericin B, 387

Phaeohyphomycosis—caused by *Ramichloridium mackenziei*, 325

Phagocytosis—defects of, in trichophytosis, 115

Phospholipid extraction from *C. albicans*, 405

*Pichia anomala*—secretion of killer toxin in presence of tunicamycin, 337

Placental involvement in paracoccidioidomycosis, 249

Polymerase chain reaction—fingerprinting of *C. neoformans* by, 463  
for detection and differentiation of fungi, 65

Proteinase of *C. tropicalis*—monoclonal antibodies against, 1

Proteolytic enzymes—detection of, from *P. brasiliensis*, 299

*Ramichloridium mackenziei* in phaeohyphomycosis, 325

Restriction enzyme analysis for detection and differentiation of fungi, 65

Rio de Janeiro city—isolation of *C. neoformans* from, 499

Rodent adiasporomycosis—seasonality of, 359

Saperconazole—activity of, on *P. brasiliensis*, 169

SCH 39304—treatment of superficial and vaginal infections with, 239

SCID mice—candidosis in, 143

Serotypes of environmental and clinical isolates of *C. neoformans*, 401

*Sporothrix schenckii*—effect of calcium on yeast-to-mycelium transition, 43  
effect of depth of inoculation on course of experimental infection with, 411

Subculture of *C. albicans*—loss of cell wall antigens during, 227

Submicron amphotericin B in murine candidosis, 207

Superficial infections—treatment of, with SCH 39304, 239

Terbinafine—effect of, on ultrastructure of *T. interdigitale*, 305

*Trichophyton interdigitale*—effect of terbinafine on ultrastructure of, 305

*Trichopyton rubrum*—lack of expression of ICAM-1, in chronic infection with, 459

*Trichophyton yaoundei* in India, 333

Trichophytosis—defective phagocytosis in, 115

Trifluoperazine—effect of, on *C. albicans*, 427

Tunicamycin—effect of, on *P. anomala* killer toxin secretion, 337

Uncommon fungal pathogens in AIDS, 175  
Urease negative strains of *C. neoformans*, 87  
Vaginal infections—treatment of, with SCH 39304, 239  
Yeast-to-mycelium transition in *S. schenckii*—effect of calcium on, 43

